




# HP Premium Matte Polypropylene, 2 Pack



## The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



## Produce brilliant, high-impact signs and banners

### Deliver high-quality, durable prints

Handle these sturdy, tear-resistant<sup>1</sup> prints with confidence. Providing the high-quality look and feel of photo material, you get durable performance without trading off brilliant color and edge definition.

### Produce high-impact, photo-realistic signs

Produce prints with brilliant color, photo-realistic images, and the look of traditional photos—this sturdy film is ideal for a wide range of sign and event displays including photo enlargements.

### REACH compliant<sup>2</sup>

Offer a wide range of applications from presentations, banners, and displays to photo enlargements—and help meet the environmental objectives of your company and your clients—with this versatile, printing material. HP Premium Matte Polypropylene is REACH compliant<sup>2</sup>—a regulation of the European Union adopted to improve the protection of human health and the environment from risks that can be posed by chemicals.

Target customers	Applications	Benefits
Print service providers	Trade show and event displays	Vibrant color, high-impact image quality
Sign shops	Posters and presentations	Excellent opacity <sup>3</sup> and optical density
Graphic designers	POP and retail displays	Sturdy, tear-resistant <sup>1</sup> prints
	Photo enlargements	Moderately water-resistant prints <sup>4</sup> with Original HP 746, 747, 771, and 773 Vivid Photo Inks or Original HP 70 Photo Inks
	Banners	Fast dry time
		Compatible with Original HP pigment- and dye-based inks for HP DesignJet printers



# Technical specifications

## HP Premium Matte Polypropylene, 2 Pack

For the latest ICC profiles/paper presets, please visit [HPLFMedia.com/hp/paperpresets](https://HPLFMedia.com/hp/paperpresets).

Ink compatibility	Original HP pigment- and dye-based inks for HP DesignJet printers
Weight	121 g/m² per ISO 536 Test Method
Thickness	203 microns/8 mil per ISO 534 Test Method
Core size	2-in core
Opacity	>96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method³
Brightness	>99 per TAPPI T-452 Test Method
Whiteness	140 per ASTM E-313 Test Method
Finish	Matte
Operating temperature	15 to 30° C / 59 to 86° F
Operating humidity	20 to 80% RH
Water resistance	Moderately water resistant⁴ with Original HP 746, 747, 771, and 773 Vivid Photo Inks or Original HP 70 Photo Inks
Dry time	Less than 2 minutes (at 23° C, 50% RH)
Lamination	Yes
Shelf life	2 years, unopened in original packaging
Environmental	REACH compliant²
Storage temperature	15 to 35° C / 59 to 95° F
Storage humidity	15 to 30% RH
Country of origin	Product of China
Core size	2-in core

Ordering information	Product numbers	Quantity	Roll sizes	UPC codes	Region
	C2T53A	2 Pack	914 mm x 22,9 m (36 in x 75 ft)	848412013405	United States, Canada, Latin America, Europe, Middle East, and Africa
	C2T54A	2 Pack	1067 mm x 22,9 m (42 in x 75 ft)	848412013412	United States, Canada, Latin America, Europe, Middle East, and Africa
	C5G02A	2 Pack	1524 mm x 22,9 m (60 in x 75 ft)	848412013429	United States, Canada, and Latin America

Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see <a href="https://HPLFMedia.com/hp/MediaWarranties">HPLFMedia.com/hp/MediaWarranties</a> . To obtain warranty service, please contact Brand Management Group customer support at <a href="https://HPLFMedia.com/hp/en/contactus">HPLFMedia.com/hp/en/contactus</a> .
----------	---

<sup>1</sup> Tear-resistant as compared to paper products.

<sup>2</sup> See the HP REACH Declaration published at [HP.Printing.Products.and.Consumable.Supplies](https://HP.Printing.Products.and.Consumable.Supplies).

<sup>3</sup> >96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method.

<sup>4</sup> Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see [HPLFMedia.com/printpermanence](https://HPLFMedia.com/printpermanence).

For detailed information on the HP large format printing materials portfolio and to order, see [HPLFMedia.com](https://HPLFMedia.com)